ELSEVIER

Neuroscience Letters 362 (2004) 262–265

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 362

Adès, J., see Limosin, F., 91
Aguilar, E., see Fernández-Fernández, R., 103
Alagona, G., Ferri, R., Pennisi, G., Carnemolla, A., Maci, T., Domina, E., Maertens de Noordhout, A., Bella, R., Motor cortex excitability in Alzheimer's disease and in subcortical ischemic vascular dementia, 95
Amenta, F., see Tomassoni, D., 131
Antle, M.C., see Hamada, T., 87
Aomi, S., see Daimon, M., 122
Arjona, A.A., see Pooler, A.M., 127
Ashraf, Q.M., Haider, S.H., Katsetos, C.D., Delivoria-Papadopoulos, M., Mishra, O., Nitric oxide-mediated alterations of protein tyrosine phosphatase activity and expression during hypoxia in the cerebral cortex of newborn piglets, 108
Aznar, S., see Sveen, M.-L., 6

Bauer, I., see Rössler, O.G., 253
Belchior, L.D., see Macêdo, D.S., 185
Bella, R., see Alagona, G., 95
Benoit, J.-P., see Jollivet, C., 79
Berthelot, A., see Demougeot, C., 17
Bish, J.P., Martin, T., Houck, J., Ilmoniemi, R.J., Tesche, C., Phase shift detection in thalamocortical oscillations using magnetoencephalography in humans, 48
Bishop, G.M., see Hayter, C.L., 182
Bjørge, L., see Storstein, A., 21
Bobillier-Chaumont, S., see Demougeot, C., 17
Boni, C., see Limosin, F., 91
Buller, K.M., see Hamlin, A.S., 39
Burmester, T., see Laufs, T.L., 83

Cahusac, P.M.B., see Hitchcock, I.S., 196
Camón, L., see de Vera, N., 209
Carnemolla, A., see Alagona, G., 95
Chang, H.-K., see Cho, N.-H., 141
Chartier-Harlin, M.-C., see Zhang, Y., 99
Chein, Y.-C., see Shih, Y.-H., 136
Cheong, B.-S., see Cho, N.-H., 141
Chesik, D., De Keyser, J., Wilczak, N., Involvement of insulin-like growth factor binding protein-2 in activated microglia as assessed in post mortem human brain, 14
Chiba, S., see Yasuda, T., 71
Cho, N.-H., Lee, J.-D., Cheong, B.-S., Choi, D.-Y., Chang, H.-K., Lee, T.-H., Shin, M.-C., Shin, M.-S., Lee, J., Kim, C.-J., Acupuncture suppresses intrastriatal hemorrhage-induced apoptotic neuronal cell death in rats, 141
Cho, S.-J., see Moon, I.S., 53
Choi, D.-Y., see Cho, N.-H., 141
Chung, H.-Y., see Rössler, O.G., 253
Coveñas, R., see Mangas, A., 258
Cumming, A., see Zhang, Y., 99
Dabadie, M.P., see Mangas, A., 258
Daimon, M., Aomi, S., Kawamata, T., Kurosawa, H., Pravastatin, a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, reduces delayed neuronal death following transient forebrain ischemia in the adult rat hippocampus, 122
Daumann, J., Fischermann, T., Pilatus, U., Thron, A., Moeller-Hartmann, W., Gouzoulis-Mayfrank, E., Proton magnetic resonance spectroscopy in ecstasy (MDMA) users, 113
Davis, R.L., Syapin, P.J., Chronic ethanol inhibits CXC chemokine ligand 10 production in human A172 astroglia and astroglial-mediated leukocyte chemotaxis, 220
Day, T.A., see Hamlin, A.S., 39
De Keyser, J., see Chesik, D., 14
de Vera, N., Camón, L., Martínez, E., Putrescine as a marker of the effects of 2-chloropropionic acid in the rat brain, 209
Delivoria-Papadopoulos, M., see Ashraf, Q.M., 108
Demougeot, C., Bobillier-Chaumont, S., Mossiat, C., Marie, C., Berthelot, A., Effect of diets with different magnesium content in ischemic stroke rats, 17
Desmedt, S., see Michael, G.A., 176
Dockree, P.M., see Roche, R.A.P., 1
Domina, E., see Alagona, G., 95

Ehrhart, J., see Townsend, K.P., 26

Fang, C.-Y., see Li, N., 146
Faza, B., see Townsend, K.P., 26
Fedeli, L.-P., see Limosin, F., 91
Fernández-Fernández, R., Tena-Sempere, M., Aguilar, E., Pinilla, L., Ghrelin effects on gonadotropin secretion in male and female rats, 103
Ferri, R., see Alagona, G., 95
Fiaschi, A., see Manganotti, P., 31
Fischermann, T., see Daumann, J., 113
Foxe, J.J., see Roche, R.A.P., 1
Frasnelli, J., Heilmann, S., Hummel, T., Responsiveness of human nasal mucosa to trigeminal stimuli depends on the site of stimulation, 65
Fredrikson, M., see Furmark, T., 189
Fu, Y.-S., see Shih, Y.-H., 136
Fuchs, K.L., see Haley, A.P., 167
Fuggetta, G., see Manganotti, P., 31
Furmark, T., Tillfors, M., Garpenstrand, H., Marteinsdottir, I., Långström, B., Oreland, L., Fredrikson, M., Serotonin transporter polymorphism related to amygdala excitability and symptom severity in patients with social phobia, 189

Gao, E., see Li, N., 146
Garavan, H., see Roche, R.A.P., 1
Garpenstrand, H., see Furmark, T., 189
Geffard, K., see Mangas, A., 258
Geffard, M., see Mangas, A., 258
Genever, P.G., see Hitchcock, I.S., 196

doi:10.1016/S0304-3940(04)00536-1

Gerrits, P.O., see Kuipers, R., 57
Gianutsos, G., see Symanowicz, P.T., 150
Gorwood, P., see Limosin, F., 91
Gouzoulis-Mayfrank, E., see Daumann, J., 113
Gwak, Y.S., Hains, B.C., Johnson, K.M., Hulsebosch, C.E., Locomotor recovery and mechanical hyperalgesia following spinal cord injury depend on age at time of injury in rat, 232

Haider, S.H., see Ashraf, Q.M., 108
Hains, B.C., see Gwak, Y.S., 232
Haley, A.P., Knight-Scott, J., Fuchs, K.L., Simnad, V.I., Manning, C.A., Shortening of hippocampal spin-spin relaxation time in probable Alzheimer's disease: a ^{1}H magnetic resonance spectroscopy study, 167
Hamada, T., Antle, M.C., Silver, R., The role of *Period1* in non-photic resetting of the hamster circadian pacemaker in the suprachiasmatic nucleus, 87
Hamlin, A.S., Buller, K.M., Day, T.A., Osborne, P.B., Effect of naloxone-precipitated morphine withdrawal on *c-fos* expression in rat corticotropin-releasing hormone neurons in the paraventricular hypothalamus and extended amygdala, 39
Hamon, M., see Limosin, F., 91
Hankeln, T., see Laufs, T.L., 83
Haque, M.S., see Zhang, Y., 99
Harada, T., see Shirai, T., 10
Harris, J., see Zhang, Y., 99
Hashizume, A., see Shirai, T., 10
Hayes, A., see Zhang, Y., 99
Hayter, C.L., Bishop, G.M., Robinson, S.R., Pharmacological but not physiological concentrations of melatonin reduce iron-induced neuronal death in rat cerebral cortex, 182
Heilmann, S., see Frasnelli, J., 65
Hirose, S., see Zhu, G., 244
Hitchcock, I.S., Genever, P.G., Cahusac, P.M.B., Essential components for a glutamatergic synapse between Merkel cell and nerve terminal in rats, 196
Holstege, G., see Kuipers, R., 57
Houck, J., see Bish, J.P., 48
Hulsebosch, C.E., see Gwak, Y.S., 232
Hummel, T., see Frasnelli, J., 65
Hussain, G., see Jaskiw, G.E., 35

Ilmoniemi, R.J., see Bish, J.P., 48
Inoue, K., see Shirai, T., 10
Inoue, T., see Tsuruoka, M., 236
Insausti, R., see Mangas, A., 258
Iwatsubo, T., see Zhang, Y., 99
Izhar, Z., see Kuipers, R., 57

Jacobsen, T., Mismatch negativity to frequency changes: no evidence from human event-related brain potentials for categorical speech processing of complex tones resembling vowel formant structure, 204
Jaskiw, G.E., Hussain, G., Stephans, S.E., Yamamoto, B.K., Meltzer, H.Y., Clozapine prolongs hypotonic immobility in rats with bilateral 6-hydroxydopamine lesions of the striatum, 35
Jin, I., see Moon, I.S., 53
Johnson, K.M., see Gwak, Y.S., 232
Jollivet, C., Montero-Menei, C.N., Venier-Julienne, M.-C., Sapin, A., Benoit, J.-P., Menei, P., Striatal tyrosine hydroxylase immunoreactive neurons are induced by L-dihydroxyphenylalanine and nerve growth factor treatment in 6-hydroxydopamine lesioned rats, 79
Ju, T.-C., Yang, Y.-T., Yang, D.-I., Protective effects of *S*-nitrosoglutathione against neurotoxicity of 3-nitropropionic acid in rat, 226
Jung, J.S., see Moon, I.S., 53

Kakuma, T., see Yasuda, T., 71
Kaneko, S., see Zhu, G., 244
Kato, K., see Miyawaki, T., 216
Katsetos, C.D., see Ashraf, Q.M., 108
Kawamata, T., see Daimon, M., 122
Kim, C.-J., see Cho, N.-H., 141
Kim, D.K., see Moon, I.S., 53
Kim, J.T., see Moon, I.S., 53
Knight-Scott, J., see Haley, A.P., 167
Knudsen, A., see Storstein, A., 21
Knudsen, G.M., see Sveen, M.-L., 6
Ko, B.H., see Moon, I.S., 53
Kuipers, R., Izhar, Z., Gerrits, P.O., Miner, W., Holstege, G., Location of bladder and urethral sphincter motoneurons in the male guinea pig (*Cavia porcellus*), 57
Kurosawa, H., see Daimon, M., 122
Kurosawa, M., Taniguchi, T., Yoneda, M., Cholecystokinin and prostaglandins inhibit responses of vagal afferent activity to systemic administration of nicotine in anesthetized rats, 213

Lambert, J.-C., see Zhang, Y., 99
Långström, B., see Furmark, T., 189
Laufs, T.L., Wystub, S., Reuss, S., Burmester, T., Saaler-Reinhardt, S., Hankeln, T., Neuron-specific expression of neuroglobin in mammals, 83
Lee, J., see Cho, N.-H., 141
Lee, J.-D., see Cho, N.-H., 141
Lee, R.K., see Pooler, A.M., 127
Lee, T.-H., see Cho, N.-H., 141
Lemmon, H., see Zhang, Y., 99
Lendon, C.L., see Zhang, Y., 99
Li, L., see Wang, X., 117
Li, N., Fang, C.-Y., Wang, Z.-Z., Wang, Y.-L., Wang, F.-B., Gao, E., Zhang, G.-X., Expression of calcitonin gene-related peptide type 1 receptor mRNA and their activity-modifying proteins in the rat nucleus accumbens, 146
Li, X., see Wang, X., 117
Limosin, F., Loze, J.-Y., Boni, C., Fedeli, L.-P., Hamon, M., Rouillon, F., Adès, J., Gorwood, P., The A9 allele of the dopamine transporter gene increases the risk of visual hallucinations during alcohol withdrawal in alcohol-dependent women, 91
Loze, J.-Y., see Limosin, F., 91

Macêdo, D.S., Vasconcelos, S.M.M., Belchior, L.D., Santos, R.S., Viana, G.S.B., Sousa, F.C.F., Alterations in monoamine levels after cocaine-induced status epilepticus and death in striatum and prefrontal cortex of mice, 185
Maci, T., see Alagona, G., 95
Maeda, M., see Tsuruoka, M., 236
Maekawa, S., Taguchi, K., Localization of the Cl^--ATPase activity on NAP-22 enriched membrane microdomain (raft) of rat brain, 158
Maertens de Noordhout, A., see Alagona, G., 95
Manganotti, P., Fuggetta, G., Fiaschi, A., Changes of motor cortical excitability in human subjects from wakefulness to early stages of sleep: a combined transcranial magnetic stimulation and electroencephalographic study, 31
Mangas, A., Coveñas, R., Geffard, K., Geffard, M., Marcos, P., Insausti, R.,

Dabadie, M.P., Folic acid in the monkey brain: an immunocytochemical study, 258
Mann, D.M., see Zhang, Y., 99
Manning, C.A., see Haley, A.P., 167
Mantovani, C., see Tohill, M., 200
Marcos, P., see Mangas, A., 258
Marie, C., see Demougeot, C., 17
Martínez, E., see de Vera, N., 209
Marteinsdottir, I., see Furmark, T., 189
Martin, T., see Bish, J.P., 48
Masaki, T., see Yasuda, T., 71
Matsumoto, M., see Shirai, T., 10
Meltzer, H.Y., see Jaskiw, G.E., 35
Menei, P., see Jollivet, C., 79
Meri, S., see Storstein, A., 21
Michael, G.A., Desmedt, S., The human pulvinar and attentional processing of visual distractors, 176
Michel, S., see Wayne, N.L., 249
Mikkelsen, J.D., The KCNQ channel activator retigabine blocks haloperidol-induced c-Fos expression in the striatum of the rat, 240
Mimori, Y., see Shirai, T., 10
Miner, W., see Kuipers, R., 57
Mishra, O., see Ashraf, Q.M., 108
Miyawaki, T., Yokota, H., Oguro, K., Kato, K., Shimazaki, K., Ischemic preconditioning decreases intracellular zinc accumulation induced by oxygen-glucose deprivation in gerbil hippocampal CA1 neurons, 216
Moeller-Hartmann, W., see Daumann, J., 113
Montero-Menei, C.N., see Jollivet, C., 79
Moon, I.S., Cho, S.-J., Jung, J.S., Park, I.S., Kim, D.K., Kim, J.T., Ko, B.H., Jin, I., Presence of translation elongation factor-1A in the rat cerebellar postsynaptic density, 53
Morris, J.B., see Symanowicz, P.T., 150
Mossiat, C., see Demougeot, C., 17

Nagasawa, I., see Tsuruoka, M., 236
Nakanishi, K., see Shirai, T., 10

Ochiai, T., Ohno, S., Soeda, S., Tanaka, H., Shoyama, Y., Shimeno, H., Crocin prevents the death of rat pheochromyctoma (PC-12) cells by its antioxidant effects stronger than those of α-tocopherol, 61
Oguro, K., see Miyawaki, T., 216
Ohno, S., see Ochiai, T., 61
Okada, M., see Zhu, G., 244
O'Mara, S.M., see Roche, R.A.P., 1
Oreland, L., see Furmark, T., 189
Osborne, P.B., see Hamlin, A.S., 39

Papini, M.R., see Portavella, M., 75
Park, I.S., see Moon, I.S., 53
Pennisi, G., see Alagona, G., 95
Petrov, T., see Rafols, D., 154
Pilatus, U., see Daumann, J., 113
Pinilla, L., see Fernández-Fernández, R., 103
Pooler, A.M., Arjona, A.A., Lee, R.K., Wurtman, R.J., Prostaglandin E_2 regulates amyloid precursor protein expression via the EP2 receptor in cultured rat microglia, 127
Portavella, M., Torres, B., Salas, C., Papini, M.R., Lesions of the medial pallium, but not of the lateral pallium, disrupt spaced-trial avoidance learning in goldfish (*Carassius auratus*), 75
Pritchard, A., see Zhang, Y., 99

Rafols, D., Steiner, J., Rafols, J.A., Petrov, T., Intracellular coexpression of endothelin-1 and inducible nitric oxide synthase underlies hypoperfusion after traumatic brain injury in the rat, 154
Rafols, J.A., see Rafols, D., 154
Razumnikova, O.M., Gender differences in hemispheric organization during divergent thinking: an EEG investigation in human subjects, 193
Reuss, S., see Laufs, T.L., 83
Robertson, I.H., see Roche, R.A.P., 1
Robinson, S.R., see Hayter, C.L., 182
Roche, R.A.P., Dockree, P.M., Garavan, H., Foxe, J.J., Robertson, I.H., O'Mara, S.M., EEG alpha power changes reflect response inhibition deficits after traumatic brain injury (TBI) in humans, 1
Rong, P.-J., Zhang, J.-L., Zhang, H.-Q., Interactions between tactile and noxious visceral inputs in rat nucleus gracilus, 162
Rössler, O.G., Bauer, I., Chung, H.-Y., Thiel, G., Glutamate-induced cell death of immortalized murine hippocampal neurons: neuroprotective activity of heme oxygenase-1, heat shock protein 70, and sodium selenite, 253
Rouillon, F., see Limosin, F., 91

Saaler-Reinhardt, S., see Laufs, T.L., 83
Sakata, T., see Yasuda, T., 71
Salas, C., see Portavella, M., 75
Salmelin, R., see Stemmer, B., 44
Santos, R.S., see Macêdo, D.S., 185
Sapin, A., see Jollivet, C., 79
Shih, Y.-H., Chein, Y.-C., Wang, J.-Y., Fu, Y.-S., Ursolic acid protects hippocampal neurons against kainate-induced excitotoxicity in rats, 136
Shimazaki, K., see Miyawaki, T., 216
Shimeno, H., see Ochiai, T., 61
Shin, M.-C., see Cho, N.-H., 141
Shin, M.-S., see Cho, N.-H., 141
Shirai, T., Inoue, K., Hashizume, A., Nakanishi, K., Harada, T., Mimori, Y., Matsumoto, M., Human reactions to physical stimulus and the removal of such stimulus as recorded by magnetoencephalography, 10
Shoyama, Y., see Ochiai, T., 61
Silver, R., see Hamada, T., 87
Simnad, V.I., see Haley, A.P., 167
Soeda, S., see Ochiai, T., 61
Sousa, F.C.F., see Macêdo, D.S., 185
St. Clair, D., see Zhang, Y., 99
Steiner, J., see Rafols, D., 154
Stemmer, B., Vihla, M., Salmelin, R., Activation of the human sensorimotor cortex during error-related processing: a magnetoencephalography study, 44
Stephans, S.E., see Jaskiw, G.E., 35
Storstein, A., Knudsen, A., Bjørge, L., Meri, S., Vedeler, C., Heterogeneous expression of CD59 on human Purkinje cells, 21
Sveen, M.-L., Knudsen, G.M., Aznar, S., No effect of MDMA (ecstasy) on cell death and 5-HT_{2A} receptor density in organotypic rat hippocampal cultures, 6
Syapin, P.J., see Davis, R.L., 220
Symanowicz, P.T., Gianutsos, G., Morris, J.B., Lack of role for the vanilloid receptor in response to several inspired irritant air pollutants in the C57Bl/6J mouse, 150

Taguchi, K., see Maekawa, S., 158
Tan, J., see Townsend, K.P., 26
Tanaka, H., see Ochiai, T., 61
Taniguchi, T., see Kurosawa, M., 213

Tena-Sempere, M., see Fernández-Fernández, R., 103
Terenghi, G., see Tohill, M., 200
Tesche, C., see Bish, J.P., 48
Thaker, U., see Zhang, Y., 99
Thiel, G., see Rössler, O.G., 253
Thron, A., see Daumann, J., 113
Tillfors, M., see Furmark, T., 189
Tohill, M., Mantovani, C., Wiberg, M., Terenghi, G., Rat bone marrow mesenchymal stem cells express glial markers and stimulate nerve regeneration, 200
Tomassoni, D., Traini, E., Vitaioli, L., Amenta, F., Morphological and conduction changes in the sciatic nerve of spontaneously hypertensive rats, 131
Torres, B., see Portavella, M., 75
Town, T., see Townsend, K.P., 26
Townsend, K.P., Vendrame, M., Ehrhart, J., Faza, B., Zeng, J., Town, T., Tan, J., CD45 isoform RB as a molecular target to oppose lipopolysaccharide-induced microglial activation in mice, 26
Traini, E., see Tomassoni, D., 131
Tsuruoka, M., Maeda, M., Nagasawa, I., Inoue, T., Spinal pathways mediating coeruleospinal antinociception in the rat, 236

Vasconcelos, S.M.M., see Macêdo, D.S., 185
Vedeler, C., see Storstein, A., 21
Vendrame, M., see Townsend, K.P., 26
Venier-Julienne, M.-C., see Jollivet, C., 79
Viana, G.S.B., see Macêdo, D.S., 185
Vihla, M., see Stemmer, B., 44
Vitaioli, L., see Tomassoni, D., 131

Wang, F.-B., see Li, N., 146
Wang, J.-Y., see Shih, Y.-H., 136
Wang, K., see Wang, X., 117
Wang, X., Li, X., Wang, K., Zhou, H., Xue, B., Li, L., Wang, X., Forskolin cooperating with growth factor on generation of dopaminergic neurons from human fetal mesencephalic neural progenitor cells, 117
Wang, X., see Wang, X., 117
Wang, Y.-L., see Li, N., 146
Wang, Z.-Z., see Li, N., 146
Wayne, N.L., Michel, S., Synaptic stimulation of *Aplysia* peptidergic neurons can activate hormone secretion in the absence of an after-discharge, 249
Wiberg, M., see Tohill, M., 200
Wilczak, N., see Chesik, D., 14
Wurtman, R.J., see Pooler, A.M., 127
Wystub, S., see Laufs, T.L., 83

Xue, B., see Wang, X., 117

Yamamoto, B.K., see Jaskiw, G.E., 35
Yang, D.-I., see Ju, T.-C., 226
Yang, Y.-T., see Ju, T.-C., 226
Yasuda, T., Masaki, T., Chiba, S., Kakuma, T., Sakata, T., Yoshimatsu, H., L-Histidine stimulates sympathetic nerve activity to brown adipose tissue in rats, 71
Yokota, H., see Miyawaki, T., 216
Yoneda, M., see Kurosawa, M., 213
Yoshida, S., see Zhu, G., 244
Yoshimatsu, H., see Yasuda, T., 71
Yu, J., Zhang, J., A single pulmonary mechano-sensory unit possesses multiple encoders in rabbits, 171

Zeng, J., see Townsend, K.P., 26
Zhang, G.-X., see Li, N., 146
Zhang, H.-Q., see Rong, P.-J., 162
Zhang, J., see Yu, J., 171
Zhang, J.-L., see Rong, P.-J., 162
Zhang, Y., Hayes, A., Pritchard, A., Thaker, U., Haque, M.S., Lemmon, H., Harris, J., Cumming, A., Lambert, J.-C., Chartier-Harlin, M.-C., St. Clair, D., Iwatsubo, T., Mann, D.M., Lendon, C.L., Interleukin-6 promoter polymorphism: risk and pathology of Alzheimer's disease, 99
Zhou, H., see Wang, X., 117
Zhu, G., Okada, M., Yoshida, S., Hirose, S., Kaneko, S., Both 3,4-dihydroxyphenylalanine and dopamine releases are regulated by Ca^{2+}-induced Ca^{2+} releasing system in rat striatum, 244